



SPECIAL OFFER!

**BLACK
FRIDAY.**

**20% &
30%
OFF**

**DRIVEN TOOLS
EXCLUSIVE OFFER**







Driven Tools

Upgrade Your Lathe and Boost Productivity!

Made in Italy



ACCURACY and RELIABILITY GUARANTEED FOR 2 YEARS !!
QUICK AND NO-EXPENSIVE ASSISTANCE BY OUR TECHNICAL EXPERTS !

Vdi

DIN69880


DIN5480

* In case of order specify always left or right orientation you need



| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------------------------------|------------|----|-----|----|------|------------------|------------------|
| 30 | 99.ST.8003 | 25 | 66 | 32 | 6000 | 864 | 699 |
| | 99.ST.8011 | 25 | 66 | 32 | 6000 | 1.116 | 899 |
| 40 | 99.ST.8005 | 32 | 95 | 63 | 6000 | 1.080 | 849 |
| | 99.ST.8013 | 32 | 95 | 63 | 6000 | 1.412 | 1.099 |
| Senso di rotazione uguale al mandrino | | | | | | | |
| 30 | 99.ST.8030 | 25 | 55 | 32 | 6000 | 1.814 | 1.399 |
| | 99.ST.8038 | 25 | 55 | 32 | 6000 | 2.088 | 1.749 |
| 40 | 99.ST.8033 | 32 | 100 | 63 | 6000 | 2.296 | 1.999 |
| | 99.ST.8041 | 32 | 100 | 63 | 6000 | 2.636 | 1.999 |

Direction of rotation opposite to machine spindle



Vdi

DIN69880



DIN5482

* In case of order specify always left or right orientation you need



| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------------------------------|------------|----|-----|----|------|------------------|------------------|
| 30 | 99.ST.8201 | 25 | 94 | 32 | 6000 | 814 | 699 |
| | 99.ST.8207 | 25 | 94 | 32 | 6000 | 1.094 | 899 |
| 40 | 99.ST.8203 | 32 | 115 | 63 | 5000 | 980 | 799 |
| | 99.ST.8208 | 32 | 115 | 63 | 5000 | 1.268 | 999 |
| Senso di rotazione uguale al mandrino | | | | | | | |
| 30 | 99.ST.8217 | 25 | 55 | 32 | 6000 | 1.634 | 1.299 |
| | 99.ST.8223 | 25 | 55 | 32 | 6000 | 1.908 | 1.799 |
| 40 | 99.ST.8220 | 32 | 100 | 63 | 5000 | 1.958 | 1.999 |
| | 99.ST.8226 | 32 | 100 | 63 | 5000 | 2.290 | 1.799 |

Direction of rotation opposite to machine spindle



Vdi

DIN69880


BARUFFALDI

* In case of order specify always left or right orientation you need



| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------------------------------|------------|----|-----|----|------|------------------|------------------|
| 30 | 99.BE.0003 | 25 | 94 | 32 | 6000 | 842 | 699 |
| | 99.BE.0010 | 25 | 94 | 32 | 6000 | 1.124 | 899 |
| 40 | 99.BE.0005 | 32 | 117 | 63 | 5000 | 1.016 | 799 |
| | 99.BE.0011 | 32 | 115 | 63 | 5000 | 1.310 | 1.099 |
| Senso di rotazione uguale al mandrino | | | | | | | |
| 30 | 99.BE.0021 | 25 | 55 | 32 | 6000 | 1.678 | 1.399 |
| | 99.BE.0027 | 25 | 55 | 32 | 6000 | 1.966 | 1.749 |
| 40 | 99.BE.0024 | 32 | 53 | 63 | 5000 | 2.016 | 1.999 |
| | 99.BE.0030 | 32 | 53 | 63 | 5000 | 2.362 | 1.899 |

Direction of rotation opposite to machine spindle



Vdi

DIN69880


DIN1809

* In case of order specify always left or right orientation you need



| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------------------------------|------------|----|-----|----|------|------------------|------------------|
| 30 | 99.DP.0903 | 25 | 94 | 32 | 6000 | 814 | 699 |
| | 99.DP.0910 | 25 | 94 | 32 | 6000 | 1.094 | 899 |
| 40 | 99.DP.0905 | 32 | 115 | 63 | 5000 | 980 | 799 |
| | 99.DP.0911 | 32 | 115 | 63 | 5000 | 1.268 | 999 |
| Senso di rotazione uguale al mandrino | | | | | | | |
| 30 | 99.DP.0919 | 25 | 55 | 32 | 6000 | 1.634 | 1.299 |
| | 99.DP.0925 | 25 | 55 | 32 | 6000 | 1.908 | 1.799 |
| 40 | 99.DP.0922 | 32 | 100 | 63 | 5000 | 1.958 | 1.999 |
| | 99.DP.0928 | 32 | 100 | 63 | 5000 | 2.290 | 1.799 |

Direction of rotation opposite to machine spindle




Biglia

BMT 55



| BMT | Code | ER | H | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-------------|----|------|-------|------------------|------------------|
| 55 | 99.BG.B02.A | 32 | 83,5 | 4.000 | 840 | 799 |
| | 99.BG.B02.D | 32 | 83,5 | 4.000 | 1.260 | 1.199 |
| 55 | 99.BG.B05.A | 32 | 70 | 4000 | 1.400 | 1.399 |
| | 99.BG.B05.B | 32 | 70 | 4000 | 1.680 | 1.599 |

Direction of rotation same as machine spindle




Dmg Mori

NLX 1500 - 2000 - 2500 - 3000 16 Stations
NZX 12 Stations



| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----------|----|-----------|----|--------|------------------|------------------|
| 99.MS.G59 | 32 | 86,6÷89,9 | 60 | 10.000 | 1.176 | 899 |
| 99.MS.G60 | 32 | 86,2÷89,9 | 60 | 10.000 | 1.740 | 1.599 |
| 99.MS.G62 | 40 | 88,5÷92 | 60 | 10.000 | 1.176 | 899 |
| 99.MS.G63 | 40 | 88,3÷92 | 60 | 10.000 | 1.740 | 1.199 |
| 99.MS.A72 | 32 | Max 90 | 60 | 10.000 | 2.520 | 1.849 |
| 99.MS.A73 | 32 | Max 90 | 60 | 10.000 | 2.820 | 2.049 |
| 99.MS.A76 | 40 | 90 | 60 | 10.000 | 2.520 | 1.849 |
| 99.MS.A77 | 40 | 90 | 60 | 10.000 | 2.820 | 2.049 |

Both direction of rotation to machine spindle available*



Biglia

BMT 40: B436

NEW



| BMT | Code | ER | H | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|----|-------|------------------|------------------|
| 40 | 99.BG.B40 | 20 | 57 | 6.000 | 1.322 | 1.299 |
| | 99.BG.B41 | 20 | 57 | 6.000 | 1.742 | 1.699 |
| 40 | 99.BG.B46 | 20 | 70 | 6.000 | 2.567 | 2.499 |
| | 99.BG.B47 | 20 | 45 | 6.000 | 2.645 | 2.599 |

Direction of rotation same as machine spindle




Dmg Mori

NZ 1500 - 2000 - 3100 - 3150 - 3200
16 Stations

NEW



| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|------------|----|-----------|----|--------|------------------|------------------|
| 99.MS.A101 | 25 | 80,6÷84,3 | 50 | 12.000 | 1.176 | 949 |
| 99.MS.A102 | 25 | 80,6÷84,3 | 50 | 12.000 | 1.740 | 1.599 |
| 99.MS.A103 | 32 | 85,5÷89,2 | 50 | 12.000 | 1.176 | 949 |
| 99.MS.A104 | 32 | 85,5÷89,2 | 50 | 12.000 | 1.740 | 1.299 |
| 99.MS.A106 | 25 | 85 | 50 | 12.000 | 2.520 | 1.849 |
| 99.MS.A107 | 25 | 85 | 50 | 12.000 | 2.820 | 2.049 |
| 99.MS.A108 | 32 | 85 | 50 | 12.000 | 2.520 | 1.849 |
| 99.MS.A109 | 32 | 85 | 50 | 12.000 | 2.820 | 2.049 |







Driven Tools

Upgrade Your Lathe and Boost Productivity!

Made in Italy



left - right



ACCURACY and RELIABILITY GUARANTEED FOR 2 YEARS !!

QUICK AND NO-EXPENSIVE ASSISTANCE BY OUR TECHNICAL EXPERTS !

DRIVEN TOOLS FOR CNC LATHES

Haas

VDI 40



| Code | ER | H | h1 | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------|----|----|--------|----|------|------------------|-----------------|
| 99.HA.590082 | 32 | 75 | 117,5 | 63 | 6000 | 890 | 799 |
| 99.HA.590082B | 32 | 75 | 117,5 | 63 | 6000 | 1.110 | 999 |
| 99.HA.590083 | 32 | 75 | 104,8 | 63 | 6000 | 890 | 799 |
| 99.HA.590083B | 32 | 75 | 104,8 | 63 | 6000 | 1.110 | 999 |
| 99.HA.596352 | 32 | 75 | 130,25 | 63 | 6000 | 890 | 799 |
| 99.HA.596352B | 32 | 75 | 130,25 | 63 | 6000 | 1.110 | 999 |

Direction of rotation same as machine spindle



Interchangeable couplings for the different HAAS turret



| Code | ER | H | h1 | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|---------------|----|----|--------|----|------|------------------|------------------|
| 99.HA.590084 | 32 | 75 | 117,5 | 63 | 6000 | 1.670 | 1.499 |
| 99.HA.590084B | 32 | 75 | 117,5 | 63 | 6000 | 2.110 | 1.899 |
| 99.HA.590085 | 32 | 75 | 104,8 | 63 | 6000 | 1.670 | 1.499 |
| 99.HA.590085B | 32 | 75 | 104,8 | 63 | 6000 | 2.110 | 1.899 |
| 99.HA.596353 | 32 | 75 | 130,25 | 63 | 6000 | 1.670 | 1.499 |
| 99.HA.596353B | 32 | 75 | 130,25 | 63 | 6000 | 2.110 | 1.899 |

Direction of rotation same as machine spindle

Mazak

QTN2

QUICK TURN NEXUS QTN 200/250
SUPER QUADREX TURN SQT 15/18 - 200/250




| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----------|----|-----------|----|------|------------------|------------------|
| 99.MZ.A58 | 32 | 116,2÷120 | 80 | 6000 | 1.560 | 1.399 |
| 99.MZ.A59 | 32 | 116,2÷120 | 80 | 6000 | 2.400 | 1.799 |
| 99.MZ.A65 | 32 | 130 | 80 | 6000 | 1.667 | 1.499 |
| 99.MZ.A66 | 32 | 130 | 80 | 6000 | 2.200 | 1.799 |

Direction of rotation opposite to machine spindle

Mazak

SMART QTS1

QUICK TURN SMART QTS 100M / 200M
QT COMPACT 100M - 200M - 300M



| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----------|----|--------|----|------|------------------|------------------|
| 99.MZ.A03 | 32 | Max 70 | 60 | 6000 | 1.555 | 1.399 |
| 99.MZ.A06 | 32 | Max 70 | 60 | 6000 | 2.110 | 1.899 |
| 99.MZ.A09 | 32 | 80 | 60 | 6000 | 2.220 | 1.799 |
| 99.MZ.A10 | 32 | 80 | 60 | 6000 | 2.780 | 2.199 |

Direction of rotation opposite to machine spindle

Miyano

Ø45: ABX 51/64 TH2/TH3 - BNE 34/42 - BNJ 42/51
Ø54: ABX 51/64 THY - ABX 51/64 SY



| Ø | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|----------|----|-----------|----|------|------------------|------------------|
| 45 | 99.MYA02 | 25 | 53,9÷57,6 | 35 | 6000 | 803 | 699 |
| | 99.MYA03 | 25 | 53,9÷57,6 | 35 | 6000 | 963 | 799 |
| 54 | 99.MYA09 | 32 | 75,7÷79,4 | 60 | 6000 | 935 | 799 |
| | 99.MYA10 | 32 | 75,7÷79,4 | 60 | 6000 | 1.073 | 899 |
| 45 | 99.MYA05 | 25 | 65 | 35 | 6000 | 1.419 | 1.199 |
| | 99.MYA06 | 25 | 65 | 35 | 6000 | 1.705 | 1.399 |
| 54 | 99.MYA11 | 32 | 75 | 60 | 6000 | 1.760 | 1.399 |
| | 99.MYA12 | 32 | 75 | 60 | 6000 | 2.079 | 1.699 |

Direction of rotation opposite to machine spindle



Nakamura

BMT44

WT100 -TW1

BMT55


SUPER NTJ-NTJX / NTM 3 / TMC 18 /
TW10 / SC150-250 / WT150-250 /
WTW 150 / WTS 150 / WT100



| BMT | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|-----------|----|------|------------------|------------------|
| 44 | 99.NK.A40 | 25 | Max 57,2 | 40 | 6000 | 897 | 699 |
| | 99.NK.A43 | 25 | Max 57,2 | 40 | 6000 | 1.018 | 799 |
| 55 | 99.NK.A03 | 32 | 68,5÷72,2 | 63 | 6000 | 935 | 799 |
| | 99.NK.A04 | 32 | 68,5÷72,2 | 63 | 6000 | 1.447 | 1.199 |
| 44 | 99.NK.A50 | 25 | 60 | 40 | 6000 | 1.579 | 1.199 |
| | 99.NK.A53 | 25 | 60 | 40 | 6000 | 1.892 | 1.399 |
| 55 | 99.NK.A13 | 32 | 55 | 63 | 6000 | 1.760 | 1.399 |
| | 99.NK.A14 | 32 | 55 | 63 | 6000 | 2.373 | 1.899 |

Okuma

BMT60: SPACE TURN LB 200EX / LB 2500EX
/ LB3000EX / GENOS SERIES L300-MW / MULTUS
U3000 / U40007 / LU3000EX M / MY



| BMT | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|--------|----|------|------------------|------------------|
| 60 | 99.OK.A80 | 32 | Max 79 | 60 | 6000 | 1.589 | 1.399 |
| | 99.OK.A81 | 32 | Max 79 | 60 | 6000 | 2.017 | 1.599 |
| 60 | 99.OK.A82 | 32 | 70 | 60 | 6000 | 2.872 | 1.999 |
| | 99.OK.A83 | 32 | 70 | 60 | 6000 | 3.422 | 2.399 |

Direction of rotation same as machine spindle


Direction of rotation opposite to machine spindle

Tsugami

BMT65:

M06D / M06SD / M06SY /
M08D / M08SD / M08SY

NEW




| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----------|----|--------|----|------|------------------|------------------|
| 99.TS.A01 | 25 | MAX 60 | 40 | 8000 | 1.467 | 1.399 |
| 99.TS.A02 | 25 | MAX 60 | 40 | 8000 | 2.017 | 1.599 |
| 99.TS.A08 | 25 | 65 | 40 | 8000 | 2.383 | 1.899 |
| 99.TS.A09 | 25 | 65 | 40 | 8000 | 2.933 | 2.399 |



Adjustable Driven Tools

ORIENT YOURSELF BETTER !!!
Adjustable driven tools $\pm 90^\circ$

Made in Italy



30% OFF

A wide range of driven tools in order to equip the CNC lathes and turrets of the most popular builders on the market with an unbeatable price/quality ratio.



ACCURACY and RELIABILITY GUARANTEED FOR 2 YEARS !!

QUICK AND NO-EXPENSIVE ASSISTANCE BY OUR TECHNICAL EXPERTS !

Main Body

Specially treated corrosion resistant integral steel body with new design to improve rigidity and reduce vibrations.

Internal Coolant

All the driven tools can be supplied with internal coolant option up to 100bar. Dry running possible!

Torque & Rpm

Rated to 100 Nm torque and 12.000Rpm

Outputs


ER collets / WELDON / HSK / CAT / SK / BT / CAPTO or shell end milling cutter.

Gleason Gears

Gleason spiral bevel gears with ground teeth in order to guarantee a bigger torque, less noise and heating.

Bearings

Angular contact, preloaded, high precision ball bearings + tape roller bearings on output spindle for better rigidity and longer life.



Opzioni:



INTERNAL COOLANT



HIGHER SPEED
Up to 12.000 Rpm



COMPENSATED COLLETS




MODULAR QUICK CHANGE



Miyano

Ø45: ABX 51/64 TH2/TH3 - BNE 34/42 - BNJ 42/51
Ø54: ABX 51/64 THY - ABX 51/64 SYY

30% OFF



| Ø | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|----------|----|----|----|------|--------------|-----------------|
| 45 | 99.MYA08 | 20 | 65 | 15 | 6000 | 4.059 | 3.299 |
| | 99.MYA13 | 20 | 65 | 15 | 6000 | 5.280 | 4.199 |
| 54 | 99.MYA19 | 20 | 75 | 15 | 6000 | 4.510 | 3.599 |
| | 99.MYA20 | 20 | 75 | 15 | 6000 | 5.867 | 4.699 |

Direction of rotation same as machine spindle

Nakamura

BMT44 WT100 -TW1
BMT55 SUPER NTJ-NTJX / NTM 3 / TMC 18 / TW10 / SC150-250 / WT150-250 / WTW 150 / WTS 150 / WT100

30% OFF




| BMT | Code | ER | H | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|------|-------|--------------|-----------------|
| 44 | 99.NK.A59 | 16 | 68,5 | 6.000 | 4.059 | 3.299 |
| | 99.NK.A69 | 16 | 68,5 | 6.000 | 5.867 | 4.699 |
| 55 | 99.NK.A22 | 20 | 71 | 6000 | 4.059 | 3.299 |
| | 99.NK.A32 | 20 | 71 | 6000 | 5.280 | 4.199 |
| 65 | 99.NK.A82 | 25 | 80 | 6000 | 4.059 | 3.299 |

Direction of rotation same as machine spindle

Tsugami

BMT65:
M06D / M06SD / M06SY /
M08D / M08SD / M08SY

30% OFF



| Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----------|----|----|----|------|--------------|-----------------|
| 99.TS.A24 | 20 | 65 | 15 | 8000 | 5.072 | 3.999 |
| 99.TS.A25 | 20 | 65 | 40 | 8000 | 6.478 | 5.199 |

Direction of rotation same as machine spindle

BMT

45 - 55 - 65 - 75

30% OFF




| BMT | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|----|----|------|--------------|-----------------|
| 45 | 99.DS.A16 | 20 | 65 | 15 | 8000 | 4.428 | 3.599 |
| | 99.DS.A17 | 20 | 65 | 15 | 8000 | 5.760 | 4.599 |
| 55 | 99.DS.A23 | 20 | 65 | 15 | 8000 | 4.428 | 3.599 |
| | 99.DS.A66 | 20 | 65 | 15 | 8000 | 5.760 | 4.599 |
| 65 | 99.DS.A64 | 25 | 75 | 25 | 6000 | 4.920 | 3.999 |
| | 99.DS.A65 | 25 | 75 | 25 | 6000 | 6.360 | 5.199 |
| 75 | 99.DS.A47 | 25 | 75 | 25 | 6000 | 4.920 | 3.999 |
| | 99.DS.A48 | 25 | 75 | 25 | 6000 | 6.360 | 5.099 |



Adjustable Driven Tools

ORIENT YOURSELF BETTER !!!
Adjustable driven tools $\pm 90^\circ$

Made in Italy




Vdi
DIN69880

DIN5480

30% OFF

| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|-----------|----|-----|----|------|------------------|------------------|
| 30 | 99.ST8087 | 20 | 64 | 15 | 6000 | 4.176 | 3.399 |
| | 99.ST8088 | 20 | 97 | 15 | 6000 | 4.176 | 3.399 |
| | 99.ST8091 | 20 | 64 | 15 | 6000 | 4.752 | 3.799 |
| | 99.ST8092 | 20 | 97 | 15 | 6000 | 4.752 | 3.799 |
| 40 | 99.ST8089 | 25 | 81 | 25 | 4000 | 4.752 | 3.799 |
| | 99.ST8093 | 25 | 81 | 25 | 4000 | 5.472 | 4.399 |
| 50 | 99.ST8090 | 40 | 123 | 50 | 4000 | 6.478 | 5.199 |



Direction of rotation opposite to machine spindle


Vdi
DIN69880

DRIVEN TOOLS FOR CNC LATHES

DIN5482

30% OFF

| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|-----------|----|-----|----|------|------------------|------------------|
| 30 | 99.ST8248 | 20 | 64 | 15 | 6000 | 4.176 | 3.399 |
| | 99.ST8249 | 20 | 97 | 15 | 6000 | 4.176 | 3.399 |
| | 99.ST8254 | 20 | 97 | 15 | 6000 | 4.752 | 3.799 |
| 40 | 99.ST8250 | 25 | 81 | 25 | 5000 | 4.752 | 3.799 |
| | 99.ST8255 | 25 | 81 | 25 | 5000 | 5.472 | 4.399 |
| 50 | 99.ST8251 | 25 | 100 | 25 | 4000 | 5.012 | 3.999 |




Direction of rotation opposite to machine spindle

Vdi
DIN69880

BARUFFALDI

30% OFF

| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|-----------|----|----|----|------|------------------|------------------|
| 30 | 99.BE0051 | 20 | 64 | 15 | 6000 | 4.176 | 3.399 |
| | 99.BE0052 | 20 | 97 | 15 | 6000 | 4.176 | 3.399 |
| | 99.BE0054 | 20 | 64 | 15 | 6000 | 4.752 | 3.799 |
| | 99.BE0055 | 20 | 97 | 15 | 6000 | 4.752 | 3.799 |
| 40 | 99.BE0053 | 25 | 81 | 25 | 5000 | 4.752 | 3.799 |
| | 99.BE0056 | 25 | 81 | 25 | 5000 | 5.472 | 4.399 |




Direction of rotation opposite to machine spindle

Vdi
DIN69880

DIN1809

30% OFF

| d1 | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----|-----------|----|----|----|------|------------------|------------------|
| 30 | 99.DR0940 | 20 | 64 | 15 | 6000 | 4.176 | 3.399 |
| | 99.DR0941 | 20 | 97 | 15 | 6000 | 4.176 | 3.399 |
| | 99.DR0943 | 20 | 64 | 15 | 6000 | 4.752 | 3.799 |
| | 99.DR0944 | 20 | 97 | 15 | 6000 | 4.752 | 3.799 |
| 40 | 99.DR0942 | 25 | 81 | 25 | 5000 | 4.752 | 3.799 |
| | 99.DR0945 | 25 | 81 | 25 | 5000 | 5.472 | 4.399 |




Direction of rotation opposite to machine spindle

Biglia

BMT 40 - 55

30% OFF

| BMT | Code | ER | H | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-----|-----------|----|------|-------|------------------|------------------|
| 40 | 99.BG.B55 | 11 | 91,5 | 6.000 | 4.666 | 4.300 |
| | 99.BG.B56 | 16 | 105 | 6.000 | 4.822 | 4.350 |
| 55 | 99.BG.B10 | 20 | 140 | 4000 | 3.400 | 3.300 |
| | 99.BG.B11 | 16 | 111 | 4000 | 3.660 | 3.350 |




Dmg Mori

NLX - NZX - NZ - SL - ZL - DL

30% OFF

| | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|----------------|------------|----|----|----|--------|------------------|------------------|
| NLX | 99.MS.A86 | 25 | 78 | 25 | 10.000 | 4.920 | 3.999 |
| | 99.MS.A87 | 25 | 78 | 25 | 10.000 | 6.360 | 5.199 |
| NZ | 99.MS.A118 | 20 | 50 | 17 | 12.000 | 4.920 | 3.999 |
| | 99.MS.A119 | 20 | 50 | 17 | 12.000 | 6.360 | 5.099 |
| SL ZL DL | 99.MS.A55 | 20 | 66 | 25 | 6.000 | 4.510 | 3.699 |
| | 99.MS.A56 | 20 | 66 | 25 | 6.000 | 5.830 | 4.899 |



Direction of rotation same as machine spindle

Direction of rotation opposite to machine spindle

Haas


VDI 40



Interchangeable couplings for the different HAAS turret

30% OFF

| Code | ER | H | h1 | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|-------------|----|----|------|----|------|------------------|------------------|
| 99.HA.00U1 | 25 | 81 | 69,3 | 25 | 6000 | 4.752 | 3.799 |
| 99.HA.00U1B | 25 | 83 | 69,3 | 25 | 6000 | 5.472 | 4.399 |
| 99.HA.00U2 | 25 | 81 | 69,3 | 25 | 5000 | 4.752 | 3.799 |
| 99.HA.00U2B | 25 | 81 | 69,3 | 25 | 5000 | 5.472 | 4.399 |
| 99.HA.00U3 | 25 | 81 | 69,3 | 25 | 6000 | 4.752 | 3.799 |
| 99.HA.00U3B | 25 | 81 | 69,3 | 25 | 6000 | 5.472 | 4.399 |




Direction of rotation same as machine spindle

Mazak

QTN1 - QTN2 - QTN3 - QTS

30% OFF

| | Code | ER | H | Nm | Rpm | PRICE LIST € | SPECIAL OFFER € |
|------|-----------|----|----|-----|------|------------------|------------------|
| QTN1 | 99.MZ.A56 | 20 | 85 | 63 | 6000 | 3.600 | 3.199 |
| | 99.MZ.A74 | 25 | 85 | 80 | 6000 | 4.000 | 3.499 |
| QTN2 | 99.MZ.A64 | 25 | 85 | 80 | 6000 | 4.800 | 4.099 |
| QTN3 | 99.MZ.A80 | 32 | 85 | 100 | 4000 | 6.000 | 5.199 |
| | 99.MZ.A14 | 25 | 80 | 30 | 6000 | 5.470 | 4.399 |
| QTS | 99.MZ.A15 | 25 | 80 | 30 | 6000 | 6.480 | 5.199 |



Direction of rotation same as machine spindle

Direction of rotation same as machine spindle

DRIVEN TOOLS - EXCLUSIVE OFFER

SPECIAL OFFER !
**BLACK
FRIDAY**

**20% &
30%
OFF**

**DRIVEN TOOLS
EXCLUSIVE OFFER**



GERARDI SPA

via Giovanni XXIII, 101 - 21015
LONATE POZZOLO (VA) Italy

Tel +39.0331.303911 - Fax.+39.0331.301534

www.gerardi.it - gerardi@gerardispa.com